





Parts of Pressure Cooker




Rubber Gasket with the lid




Lid Knob & Whistle Cleaning



Closing the Pressure Cooker



Lid Locking System



Important

- Do not overfill the cooker
- Ensure rubber gasket is properly fitted
- Clean the venting tube regularly
- Use on medium flame
- Do not open the lid until the pressure drops completely

1. Wash your hands with soap and water



2. Pour whole ORS powder in a clean container



3. Pour 1 litre of clean drinking water



4. Store ORS solution in a lidded container in a safe place.



5. Consume ORS within 24hrs, else discard



24 hours

2. Pinch nostrils gently for 5-10 minutes

3. Do not make child lie down



1. Make the child sit up and lean forward



4. Inform supervisor



1. Wash hands with clean water



2. Clean wound gently with clean water



3. Apply antiseptic




4. Cover with clean cloth or bandage



5. Inform supervisor







FRESH



1 WEEK



2-3 WEEK




OLD


Store in an airtight container




1. Know your gas setup



2. Regulator of cylinder close it after use of stove



3. Tube connection, properly connected



4. Use fire extinguisher in fire

a) Gas Cylinder/
Stove Fire



b) Smokeless
Chula Fire




5. Use blanket/ bucket in fire


a) Use blanket



b) Use bucket of
water









1. Start giving ORS immediately



2. Encourage small sips frequently



Give small sips often throughout the day

Seek help if child has:

- Sunken eyes
- very dry mouth
- No tears while crying
- Lethargy/ unusual sleepiness
- Vomiting Continues
- Blood in stool
- Fever
- Not improving



3. Refer to ASHA if conditions worsen



4. Inform supervisor

DON'T



1. Cool burn under clean running water



2. Apply burn ointment only after cooling.



Apply mud or toothpaste on wound



Rub oil or ghee on burn



Wait until child becomes weak



3. Don't do the following



3. Inform supervisor